




**Die PreFace®-Linie von Medentika –
intelligent entwickelt
und gewissenhaft produziert.**

**international
patent
pending**



**The Medentika PreFace® line –
developed with intelligence
and produced conscientiously.**

PreFace®-Abutments



B-Serie/B-Series kompatibel zu compatible with Sky Bredent®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 25 Ncm
- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 25 Ncm

Implantatanschluss Implant connection	3,5-5,5	3,5-5,5			
					
					
Durchmesser (mm) Diameter (mm)	11,5	16			
Art.-Nr. Titan Art.-No. Titanium	B 9000-R	B 9000-16R			
Art.-Nr. CoCr Art.-No. CoCr	X	B 9800-16R			

D-Serie/D-Series kompatibel zu compatible with Conelog®

PreFace® Abutment











- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 20 Ncm
- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 20 Ncm

Implantatanschluss Implant connection	3,3	3,8/4,3	3,8/4,3		
					
					
Durchmesser (mm) Diameter (mm)	11,5	11,5	16		
Art.-Nr. Titan Art.-No. Titanium	D 9000-R	D 9010-R	D 9010-16R		
Art.-Nr. CoCr Art.-No. CoCr	D 9800-R	X	D 9810-16R		

E-Serie/E-Series kompatibel zu compatible with Nobel Biocare Replace Select®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 35 Ncm
- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 35 Ncm

Implantatanschluss Implant connection	NP 3,5	RP 4,3	RP 4,3	WP 5,0	WP 5,0
					
					
Durchmesser (mm) diameter (mm)	11,5	11,5	16	11,5	16
Art.-Nr. Titan Art.-No. Titanium	E 9000-R	E 9010-R	E 9010-16R	E 9020-R	E 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	E 9800-R	X	E 9810-16R	X	E 9820-16R

F-Serie/F-Series

kompatibel zu
compatible with

Nobel Active®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment 3,0: 15 Ncm
- Empfohlenes Drehmoment NP/RP: 35 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque 3,0: 15 Ncm
- Recommended torque NP/RP: 35 Ncm

Implantatanschluss Implant connection	3,0	NP 3,5	NP 3,5	RP 4,3/5,0	RP 4,3/5,0
Durchmesser (mm) Diameter (mm)	11,5	11,5	16	11,5	16
Art.-Nr. Titan Art.-No. Titanium	F 9020-R	F 9000-R	F 9000-16R	F 9010-R	F 9010-16R
Art.-Nr. CoCr Art.-No. CoCr	F 9820-R	X	F 9800-16R	X	F 9810-16R

H-Serie/H-Series

kompatibel zu
compatible with

Biomet 3i Certain®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 20 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 20 Ncm

Implantatanschluss Implant connection	3,4	4,1	4,1	5,0
Durchmesser (mm) Diameter (mm)	11,5	11,5	16	16
Art.-Nr. Titan Art.-No. Titanium	H 9000-R	H 9010-R	H 9010-16R	H 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	H 9800-R	X	H 9810-16R	H 9820-16R

I-Serie/I-Series

kompatibel zu
compatible with

Biomet 3i® Außenhex

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 35 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 35 Ncm

Implantatanschluss Implant connection	3,4	4,1	5,0
Durchmesser (mm) Diameter (mm)	11,5	11,5	16
Art.-Nr. Titan Art.-No. Titanium	I 9000-R	I 9010-R	I 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	I 9800-R	I 9810-R	I 9820-16R

K-Serie/K-Series

kompatibel zu
compatible with

Nobel Biocare Brånemark®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 35 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 35 Ncm

Implantatanschluss Implant connection	NP 3,5	RP 4,1	WP 5,1
Durchmesser (mm) Diameter (mm)	11,5	11,5	16
Art.-Nr. Titan Art.-No. Titanium	K 9000-R	K 9010-R	K 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	K 9800-R	K 9810-R	K 9820-16R

L-Serie/L-Series

kompatibel zu
compatible with

Straumann Bone Level®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 35 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 35 Ncm

Implantatanschluss Implant connection	NC 3,3	NC 3,3	RC 4,1/4,8	RC 4,1/4,8
Durchmesser (mm) Diameter (mm)	11,5	16	11,5	16
Art.-Nr. Titan Art.-No. Titanium	L 9000-R	L 9000-16R	L 9010-R	L 9010-16R
Art.-Nr. CoCr Art.-No. CoCr	X	L 9800-16R	X	L 9810-16R

N-Serie/N-Series

kompatibel zu
compatible with

Straumann SynOcta®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 35 Ncm





- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 35 Ncm






Implantatanschluss Implant connection	NNC 3,5	RN 4,8	RN 4,8	WN 6,5	WN 6,5
Durchmesser (mm) Diameter (mm)	11,5	11,5	16	11,5	16
Art.-Nr. Titan Art.-No. Titanium	N 9030-R	N 9010-R	N 9010-16R	N 9020-R	N 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	N 9830-R	X	N 9810-16R	X	N 9820-16R




R-Serie/R-Series kompatibel zu compatible with

Zimmer Tapered Screw-Vent®
MIS® SEVEN (Innensechskant/Internal)
BioHorizons® (Innensechskant/Internal)

 VERGLEICHSTABELLE Zimmer Tapered Screw-Vent® / MIS® Seven / BioHorizons®
 COMPARISON CHART Zimmer Tapered Screw-Vent® / MIS® Seven / BioHorizons®

Zimmer Tapered Screw-Vent®	Platform 3,5 mm		Platform 4,5 mm	Platform 5,7 mm
Implantat/Implant Ø	3,70	4,10	4,70	6,00
Laborimplantat/Lab analog Ø	3,50	3,50	4,50	5,70
Artikelnummer/Article Number	IA3	IA3	IA4	IA5
Implantatanschluss Implant connection				
Medentika R-Serie/R-Series Laborimplantat/Lab analog	3,5	3,5	4,5	5,7
Artikelnummer/Article Number	R 50	R 50	R 51	R 52
PreFace®-Abutment	3,5	3,5	4,5	5,7
Artikelnummer/Article Number	R 9000-R R 9000-16R	R 9000-R R 9000-16R	R 9010-R R 9010-16R	R 9020-16R

MIS® Seven	Narrow-Platform	Standard-Platform			Wide-Platform	
Implantat/Implant Ø	3,30	3,30	3,75	4,20	5,00	6,00
Laborimplantat/Lab analog Ø	3,30	4,20	4,20	4,20	4,50	4,50
Artikelnummer/Article Number	MN-RSM10	MD-RSM10	MD-RSM10	MD-RSM10	MW-RSM10	MW-RSM10
Implantatanschluss Implant connection						
Medentika R-Serie/R-Series Laborimplantat/Lab analog	XX	3,50	3,50	3,50	4,50	4,50
Artikelnummer/Article Number	XX	R 50	R 50	R 50	R 51	R 51
PreFace®-Abutment	XX	3,50	3,50	3,50	4,50	4,50
Artikelnummer/Article Number	XX	R 9000-R R 9000-16R	R 9000-R R 9000-16R	R 9000-R R 9000-16R	R 9010-R R 9010-16R	R 9010-R R 9010-16R






BioHorizons®	Platform 3,0 mm	Platform 3,5 mm	Platform 4,5 mm	Platform 5,7 mm
Implantat/Implant Ø	3,00	3,80	4,60	5,80
Laborimplantat/Lab analog Ø	3,00	3,50	4,50	5,70
Artikelnummer/Article Number	TP3IA	SYIA	SGIA	SBIA
Implantatanschluss Implant connection				
Medentika R-Serie/R-Series Laborimplantat/Lab analog	XX	3,50	4,50	5,70
Artikelnummer/Article Number	XX	R 50	R 51	R 52
PreFace®-Abutment	XX	3,50	4,50	5,70
Artikelnummer/Article Number	XX	R 9000-R R 9000-16R	R 9010-R R 9010-16R	R 9020-16R

R-Serie/R-Series

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 30 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 30 Ncm

Implantatanschluss Implant connection					
	3,5	3,5	4,5	4,5	5,7
Durchmesser (mm) Diameter (mm)	11,5	16	11,5	16	16
Art.-Nr. Titan Art.-No. Titanium	R 9000-R	R 9000-16R	R 9010-R	R 9010-16R	R 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	X	R 9800-16R	X	R 9810-16R	R 9820-16R

S-Serie/S-Series kompatibel zu compatible with

Astra Tech OsseoSpeed®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment
3,0: 15 Ncm / 3,5/4,0: 25 Ncm
4,5/5,0: 25 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque
3,0: 15 Ncm / 3,5/4,0: 25 Ncm
4,5/5,0: 25 Ncm

Implantatanschluss Implant connection					
	3,0	3,5/4,0	3,5/4,0	4,5/5,0	4,5/5,0
Durchmesser (mm) Diameter (mm)	11,5	11,5	16	11,5	16
Art.-Nr. Titan Art.-No. Titanium	S 9030-R	S 9000-R	S 9000-16R	S 9020-R	S 9020-16R
Art.-Nr. CoCr Art.-No. CoCr	S 9830-R	X	S 9800-16R	X	S 9820-16R

T-Serie/T-Series

kompatibel zu
compatible with






Dentsply-Friadent Frialit/Xive®

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment: 25 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque: 25 Ncm

					
Implantatanschluss Implant connection	3,4	3,8	3,8		
					
Durchmesser (mm) Diameter (mm)	11,5	11,5	16		
Art.-Nr. Titan Art.-No. Titanium	T 9000-R	T 9005-R	T 9005-16R		
Art.-Nr. CoCr Art.-No. CoCr	T 9800-R	X	T 9805-16R		

					
Implantatanschluss Implant connection	4,5	4,5	5,5		
					
Durchmesser (mm) Diameter (mm)	11,5	16	16		
Art.-Nr. Titan Art.-No. Titanium	T 9010-R	T 9010-16R	T 9020-16R		
Art.-Nr. CoCr Art.-No. CoCr	X	T 9810-16R	T 9820-16R		

M-Implant

PreFace® Abutment

- Titan Grade 5 KV oder CoCr
- inkl. Abutmentschraube
- Empfohlenes Drehmoment:
3,00: 15 Ncm
3,5-5,0: 25 Ncm

- Titanium Grade 5 CF or CoCr
- incl. abutment screw
- Recommended torque:
3,00: 15 Ncm
3,5-5,0: 25 Ncm

					
Implantatanschluss Implant connection	3,0	3,5-5,0	3,5-5,0		
					
Durchmesser (mm) Diameter (mm)	11,5	11,5	16		
Art.-Nr. Titan Art.-No. Titanium	1-90-02	2-90-02	2-90-03		
Art.-Nr. CoCr Art.-No. CoCr	1-90-03	X	2-90-06		